


## 袖珍型軸承



簡介:

袖珍軸承具有小型化、輕量化之特色用途廣泛

微型滾珠軸承結構有:


開放式、帶防塵蓋型及凸緣型等。

公制尺寸、英制尺寸


用途:

微型電機、編碼器、儀器、儀表、電子計算機、

電腦製版機、複印機、電腦縫紉機、高檔電玩具、各類家用電器，電腦和辦公機器...




微型滾珠軸承



微型滾珠軸承(防塵蓋)



微型凸緣滾珠軸



微型凸緣滾珠軸承(防塵蓋)

## 公制

規格		型號		備註		
內徑	外徑	無蓋厚度	雙蓋厚度	EZO IJK	NMB	
1	3	1	-	681	L-310	-
1	3	1.5	-	MR31	L-310(W51)	-
1	4	1.6	-	691	R-410	-
1.2	4	1.8	-	MR41X	R-412	-
1.5	4	1.2	2	681X	L-415	-
1.5	4	1.8	2.5(W52)	-	L-415(W81)	-
1.5	5	2	2.6	691X	R-515	-
1.5	6	2.5	3	601X	R-615	-
2	5	1.5	2.3	682	L-520	-
2	5	2	2.5(W52)	MR52	L-520(W02)	-

2	5	2.5	-	-	L-520(W52)	-
2	6	2.3	3	692	R-620	-
2	6	2.5	2.5(Y52)	MR62	R620(W52)	-
2	6	2.5	2.3(Y32)	-	-	-
2	7	2.8	3.5	602	R-720	-
2	7	2.5	3(Y03)	-	R-720(Y52)	-
2.5	6	1.8	2.6	682X	L-625	-
2.5	7	2.5	3.5	692X	R-725	-
2.5	7	-	3(Y03)	-	-	-
2.5	8	2.8	4	602X	R-825	-
2.5	8	2.5	2.8(Y82)	-	R-825(Y52)	-
3	6	2	2.5	MR-63	L-630	-
3	7	2	3	683	L-730	-

3	8	3	4	693	R-830	-
3	8	2.5	3(Y03)	-	R-830(Y52)	MR-83
3	8	-	3.5(Y53)	-	R-830	-
3	9	3	5	603	R-930	-
3	9	2.5	4(Y04)	MR-93	R-930(Y52)	
3	10	4	4	623	R-1030	-
3	10	3.5	-	-	R-1030(Y53)	-
4	7	2	2.5	MR-74	L-740	
4	8	2	3	MR-84	L-840	
4	9	2.5	4	684	L-940	-
4	10	3	4	MR-104	L-1040	
4	11	4	4	694	R-1140	-
4	11	3.5	-	-	R-1140(Y53)	-

4	12	4	4	604	R-1240	-
4	13	5	5	624	R-1340	-
4	16	5	5	634	R-1640	-
5	8	2	2.5	MR-85	L-850	-
5	8	2.8	-	-	L-850(W82)	-
5	9	2.5	3	-	L-950	-
5	10	3	4	MR-105	L-1050	-
5	11	3	5	685	L-1150	-
5	11	-	4(Y04)	-	-	-
5	13	4	4	695	R-1350	-
5	13	-	5(W05)	-	-	-
5	14	5	5	605	R-1450	-
5	16	5	5	625	R-1650	-

5	19	6	6	635	R-1950	-
6	10	2.5	3	676	L-1060	-
6	12	3	4	-	L-1260	-
6	13	3.5	5	686	L-1360	-
6	13	-	4.5(Y54)	-	-	-
6	15	5	5	696	R-1560	-
6	17	6	6	606	R-1760	-
6	19	6	6	626	R-1960	-
6	22	7	7	636	-	-
7	11	2.5	3	MR-117	L-1170	
7	13	3	4	MR-137	L-1370	
7	14	3.5	5	687	L-1470	-
7	17	5	5	697	L-1770	-

7	19	6	6	607	R-1970	-
7	22	7	7	627	R-2270	-
7	26	9	9	637	-	-
8	12	2.5	3.5	MR-128	L-1280	
8	14	3.5	4	MR-148	L-1480	
8	16	4	5	688	L-1680	-
8	16	-	6(W06)	-	-	-
8	19	6	6	698	R-1980	-
8	22	7	7	608	R-2280	-
8	24	8	8	628	R-2480	-
8	28	9	9	638	-	-
9	17	4	5	689	L-1790	-
9	20	6	6	699	L-2090	-

9	24	7	7	609	R-2490	-
9	26	8	8	629	R-2690	-
10	20	6	6	-	R-2010	-
10	19	4.5	5(Y05)	-	L-1910(Y54)	-
10	19	5	7	-	L-1910	-
10	15	3	4	SMT-1510	A-1510	-
10	26	8	8	6000	R-2610	-
15	20	3.5	-	SMT-2015	A-2015	-
15	21	3.5		SMT-2115	A-2115	-
16	22	4		SMT-2216	A-2216	-
18	24	4		-	A-2418	-
20	25	4	-	-	A-2520	-
-	-	-	-	129	調心軸承	-



6	19	6		126	調心軸承	-
8	22	7		108	調心軸承	-
7	22	7		127	調心軸承	-
8	22	-	10.31	WC-87038	608zz 厚型	-
8	22	-		87038	608zz 單面凸	-
8	24	-		87008	628zz 單面凸	-
8	22	-		8038	608zz 雙面凸	-
2	7	-	-	C-720	-	-

規格		型號			
內徑	外徑	無蓋厚度	雙蓋厚度	EZO IJK	NMB
1	3	1	-	F681	LF-310
1.2	4	1.8	-	-	RF-412

1.5	4	1.2	2	F681X	LF-415
1.5	4	1.8	2.5(W52)	-	LF-415(W81)
1.5	45	2	2.6	F691X	RF-515
1.5	6	2.5	3	F601X	RF-615
2	5	1.5	2.3	F682	LF-520
2	5	2	2.5(W52)	-	LF-520(W02)
2	5	2.5	-	-	LF-520(W52)
2	6	2.3	3	F692	RF-620
2	6	2.5	2.5(Y52)	-	RF-620(W52)
2	7	2.8	3.5	F602	RF-720
2	7	2.5	-	-	RF-720(Y52)
2.5	6	1.8	2.6	F682X	LF-625
2.5	7	2.5	3.5	F692X	RF-725

2.5	7	-	3(Y03)	-	
2.5	8	2.8	4	F602X	RF-825
2.5	8	2.5	2.8(Y82)	-	RF-825(Y52)
3	6	2	2.5	F673	LF-630
3	7	2	3	F683	LF730
3	8	3	4	F693	RF-830
3	8	2.5	-	-	RF-830(Y52)
3	9	3	5	F603	RF-930
3	9	2.5	4(Y04)	-	RF-930(Y52)
3	10	4	4	F623	RF-1030
4	7	2	2.5	F674	LF-740
4	8	2	3	-	LF-840
4	9	2.5	4	F684	LF-940

4	10	3	4	-	LF-1040
4	11	4	4	F694	RF-1140
4	12	4	4	F604	RF-1240
4	13	5	5	F624	RF-1340
4	16	5	5	F634	RF-1640
5	8	2	2.5	-	LF-850
5	9	2.5	3	-	LF-950
5	10	3	4	-	LF-1050
5	11	3	5	F685	LF-1150
5	11	-	4(W04)	-	
5	13	4	4	F695	RF-1350
5	13	-	5(W05)	-	RF-1350
5	14	5	5	F605	RF-1450

5	16	5	5	F625	RF-1650
5	19	6	6	F635	RF-1950
6	10	2.5	3	F676	LF-1060
6	12	3	4	-	LF-1260
6	13	3.5	5	F686	LF-1360
6	15	5	5	F696	RF-1560
6	17	6	6	F606	RF-1760
6	19	6	6	F626	RF-1960
7	11	2.5	3	F677	LF-1170
7	13	3	4	-	LF-1370
7	14	3.5	5	F687	LF-1470
7	19	6	6	F607	RF-1970
7	22	7	7	F627	RF-2270

8	12	2.5	3.5	F678	LF-1280
8	14	3.5	4	-	LF-1480
8	16	4	5	F688	LF-1680
8	19	6	6	F698	RF-1980
8	22	7	7	F608	RF-2280
9	17	4	5	F689	LF-1790
9	20	5	6	F699	LF-2090
10	19	5	7	-	LF-1910
10	15	3	4	-	AF-1510